SPECIFICATIONS -

	PARAMETERS	MEASUREMENTS
BODY DIMENSIONS	Length	2046 mm
	Width	737 mm
	Height	1116 mm
	Wheel Base	1285 mm
	Ground Clearance	162 mm
	Kerb Weight	113 kg
	Seat Length	651 mm
	Seat Height	791 mm
	Fuel Tank Capacity	10.5 L
ENGINE	Туре	4 Stroke, SI, BS-VI Engine
	Displacement	123.94 cc
	Max Engine Output	7.9 kW @ 7500 rpm
	Max Torque	11 N-m @ 6000 rpm
	Fuel System	PGM-FI
	Bore X Stroke	50.0 X 63.121 mm
	Compression Ratio	10.0:1
	Starting Method	Self/Kick
TRANSMISSION	Clutch Type	Multiplate Wet Clutch
	No. of Gears	5
TYRES & BRAKES	Tyre Size & Type (Front)	80/100-18 M/C 47P, Tubeless
	Tyre Size & Type (Rear)	80/100-18 M/C 54P, Tubeless
	Brake Type & Size (Front)	Disc-240 mm, Drum-130 mm
	Brake Type & Size (Rear)	Drum-130 mm
FRAME & SUSPENSION	Frame Type	Diamond Type
	Front Suspension	Telescopic
	Rear Suspension	Hydraulic Type
ELECTRICALS	Battery	12V, 4.0Ah
	Head Lamp	Halogen Bulb, DC

+The technical specifications and design of the vehicle may vary according to the requirements and conditions without any notice • Shine meets Bharat Stage VI norms • Product shown in the picture may vary from actual product available in the market • Accessories shown in the picture are not part of standard equipment. **Conditions apply.

Honda Motorcycle & Scooter India Pvt. Ltd., Registered Office: Plot No. 1, Sector - 03, IMT Manesar, Distt. Gurugram, (Haryana) - 122050, India; Website: www.honda2wheelersindia.com; Customer Care: customercare@honda2wheelersindia.com





DECENT BLUE METALLIC

















AMAZING COMFORT.

AMAZING TECHNOLOGY.

AMAZING FEELING.

with an eco-friendly BS-VI OBD-2 compliant
engine that keeps emissions in check. Its ACG
Starter removes gear meshing noise and helps to
start the engine without a jolt. And its 5-Speed
transmission ensures that your ride is always
amazingly smooth.









eSP TECHNOLOGY

With Shine, expect nothing but the best. Honda's Enhanced Smart Power (eSP) technology maximizes performance and fuel-efficiency by reducing friction to give you the best riding experience.

SILENT START WITH ACG

Honda's unique ACG starter removes gear meshing noise and helps to start the engine without a jolt.

Adds to the safety of the rider, it cuts off the ignition if the vehicle is put in gear when side stand is engaged.

TH ACG SIDE STAND ENGINE CUT-OFF



FRICTION REDUCTION

The offset cylinder and roller rocker arm reduces the frictional losses in the engine. The piston cooling jet improves the cooling efficiency and maintains optimum engine temperature.





Transmission.

anywhere. Enjoy enhanced convenience.

irrespective of the speed and riding conditions.

ENGINE START/STOP SWITCH

Start and stop your bike with just the flick of a switch anytime,

Smart Single Switch for passing signal and low/high beams.





Makes your ride comfortable with 5-Step Adjustable Rear Suspension on all road conditions.



CBS WITH EQUALIZER

The Combi-Brake System with Equalizer reduces braking distance, so you can ride with confidence.



Seal Chain is low on maintenance and high on durability for a hassle-free riding experience.



3+7 YEARS WARRANTY PACKAGE

Get complete peace of mind with 10 years warranty package, comprising of 3 years standard and 7 years optional service warranty.





Front Visor with newly designed chrome garnish gives a completely The premium chrome stroke on side cover give the new Shine an new look to the front cowl and brings out its bold character.

elegant stance to make it stand out in a crowd.



The Aero type fuel cap gives a clean & premium finish to the fuel tank design and adds to the practicality of the new Shine.

The new meter design adds required freshness without disturbing the simplicity and sophistication of the new Shine. It also includes the Side Stand Indicator with Engine Cut Off that add to the safety of the rider, indicating when the stand is down.